



LEGEND	
	Proposed Stormwater
	Existing Stormwater
	Proposed Sewer
	Proposed Water
	Existing Retention Wall
	Proposed Gully Pit
	Proposed Concrete Path

## DISCLOSURE PLAN FOR:

### Proposed Lot 26

Being part of Lot 21 on SP182223 situated in Santa Barbara Road, Hope Island, Parish of Coomera, County of Ward, City of Gold Coast

All linear dimensions shown on the plan are in metres

Contours shown on this plan are design surface contours

The bearings & distances are subject to final survey. Bearings shown on the adjacent diagrams hereon have been rounded in accordance with cadastral plan preparation standards.

Civil design information taken from BE140171-01-C100-DRAFT.dwg, BE140171-01-C200-DRAFT.dwg, BE140171-01-C401-DRAFT.dwg, BE140171-01-C500-DRAFT.dwg & BE140171-01-C600-DRAFT.dwg supplied 3/2/15 by Burchill Engineering Solutions.

- Contour Interval : 0.25 metres
- Levels are to Australian Height Datum (AHD)
- Bearings are orientated to Map Grid of Australia (MGA)
- Approximate Depth of Fill shown thus: (2.20)

Denotes approximate area of fill

Denotes existing retaining wall

45 m  
150 mm

30 m  
100 mm

15 m  
50 mm

Note: Compaction of the fill will be done in accordance with AS3798-2007 with Level 1 certification

## PENINSULA HOPE ISLAND RESORT

Client

PM No 1 PTY LTD

**B & P SURVEYS**  
CONSULTING SURVEYORS  
ABN 55010117236



10 Nerang Street  
Nerang, QLD, 4211, Australia  
Telephone: 07 5596 0370  
Fax: 07 5502 0374  
Email: nerang@bpsurveys.com.au  
Webpage: www.bpsurveys.com.au



Offices Also At :  
Tweed Heads Ph.07 5536 3611      Murwillumbah Ph.02 6672 1924

J:\41900-\41912\PENINSULA\DWGS\20559D.pro

Scale	Level Datum	Drawn	Chk'd	F.Bk	L.Bk
1:300 @ A3	AHD	GVG		-	-
REF. No.	Date	Drawing No./Size	Sheet	Of	Rev.
41912/Pen1	27/1/15	20559 D	26	45	-